






SECTION (X-X)
SCALE :- 1"=8'-0"





SECTION (Y-Y)
SCALE :- 1"=8'-0"




FOUNDATION DETAIL OF
10" THK BRICK WALL
SCALE :- 1"=4'-0"




DETAIL OF ISOLATED FOOTING
SCALE :- 1"=4'-0"




SITE PLAN
SCALE :- 1:100




SECTION OF SEPTIC TANK & SOAK PIT
SCALE :- 1"=4'-0"
PLAN OF SEPTIC TANK & SOAK PIT
SCALE :- 1"=4'-0"




8 NO 16mm BARS
(TYPICAL)
6" C/C JHALI
SCALE :- 1"=4'-0"




FRONT ELEVATION
SCALE :- 1:100




SOUTH SIDE ELEVATION
SCALE :- 1:100




GROUND FLOOR PLAN
SCALE :- 1:100




FIRST FLOOR PLAN
SCALE :- 1:100



SECOND FLOOR PLAN
SCALE :- 1:100



THIRD FLOOR PLAN
SCALE :- 1:100



KEY PLAN
SCALE :- 1:100

CERTIFICATE

THE BUILDING IS DESIGNATED SAFE STRUCTURAL FOR G+3 STORED .AS PER BUILDING IS CODE 456-2 R.C.C. CODE 800 & IS 4326-1993 TO MAKE THE SAME EARTH QUAKE RESISTANT.

SPECIFICATION

- ISOLATED R.C.C. COLUMN FOUNDATION SHALL BE PROVIDED FOOTING BE PROVIDED WHERE EVER NECESSARY.
- ALL MASONRY WORKS IN FOUNDATION, PLINTH & SUPER STRUCTURE LOCAL BEST QUALITY BRICKS WALL 10" THK. SHALL BE DONE IN MORTAR 1:6 AND 10" THK. WALLS IN 1:4.
- ALL R.C.C. WORKS SHALL BE CARRIED OUT IN M200(1:1 1/2:3) CONCRETE.
- ALL REINFORCEMENT SHALL BE OF TMT STEEL.
- ALL DOOR FRAMES SHALL WOODEN.
- SECCOLAR WINDOW SYSTEM/FULLY GLAZED STEEL SHALL BE USED ALL TYPE OF WINDOWS AND VENT. OPENINGS.
- ALL MASONRY SURFACES SHALL BE PLASTERED WITH 15MM. THK. CEMENT MORTAR 1:4.
- I.P.S/MOSAIC/KOTTA STONE FLOORING SHALL BE PROVIDED IN ALL S INCLUDING STAIR CASE.
- ALL EXTERNAL SURFACES SHALL BE COLOURED WASH AND ALL WO STEEL SHALL BE PAINTED WITH SYNTHETIC ENAMEL PAINT.
- ALL SANITARY AND PLUMBING WORKS SHALL BE OF FIRST CLASS QU MATERIALS AND WORKMANSHIP.
- ALL ELECTRICAL WORKS SHALL BE DONE USING STANDARD QUALI MATERIALS AND WORKMANSHIP.
- ROOF WATER PROOFING TREATMENT OVER 4" CHIK R.C.C. SLAB

SCHEDULE OF OPENING'S

DISC.	TYPE	NO'S	OPENING AREA
M.S.GRILL	M.S.G	0	2400
DOOR	D	0	1200
DOOR	D1	0	1080
DOOR	D2	0	900
WINDOW	W1	0	1500
VANTIL	V1	0	780

AREA STATEMENT

PLOT AREA AS PER SITE	3439.5
EXISTING AREA	1509.4
PROPOSED AREA	3026.28
TOTAL BUILT UP AREA	4535.70

PROPOSED LAYOUT PLAN OF GROUND FLOOR, FIRST FLOOR & THIRD FLOOR OF MAHARSHI PARAMHANSH COL EDUCATION BUILDING, KHATA NO-75, PLOT NO-2109, AREA 85 DECIMAL (3439 SQ.MT.) AT- HUHUA, P.S + DISTT- RAMGARH (JHARKHAND).

DRAWING BY -	DRAWING NO.	JOB NO.
SOHRAB AKHTAR	RO	

MODERN CONSTRUCTION CONSULTANT

GROUND FLOOR, FIRST FLOOR, SECOND FLOOR & THIRD FLOOR PLAN ELEVATION AND SECTION DRAWING

APPLICANT SINGNATURE	ENGINEER SINGNATURE

Maharshi Paramhansh Seva Trust
Managing Trustee

Signature of Engineer
Licence No. CB-122
Bamangraha Board, Ramgarh, Jharkhand

Signature of Applicant
CARE. P. BANGAAN CANTT.

MODERN CONSTRUCTION CONSULTANCY